REFERENCES

Abbot W.S. (1925): A method of computing of the effectiveness of an insecticide. J. Econ. Entomol. **8**: 265-267.

Anjali C.H., Khan S.S., Goshen K. M. and Magdassi S. (2010): Formulation of water-dispersible nanopermethrin for larvicidal applications. Ecotoxicology and Environmental Safety. **73**: 1932-1936.

Arthur F. H. (1999): Evaluation of an encapsulated formulation of cyflutrin to control *Sitophilus oryzae* (L.) on stored wheat. Journal of Stored Products Research. **35**: 159-166.

Axtell R.C. and Guzman D.R. (1987): Encapsulation of the Mosquito Fungal pathogen *Lagenidium giganteum* (Oomycetes: Lageniales) in Calcium Alginate. J of the American Mosquito Control Association. Vol. **3**(3).

Bansal S.K., Singh K.V., Sharma S. and Sherwani M.R.K. (2011): Comparative larvicidal potential of different plant parts of *Withania somnifera* against vector mosquitoes in the semi-arid region of Rajasthan. Journal of Environmental Biology. **32**(1): 71-75.

Barik T.K., Sahu B. and Swain V. (2008): Nanosilica-from medicine to pest control. Parasitol. Res. 103(2): 253-258.

Becker N., Petriae D., Zgomba M., Dahl C., Lane J. and Kaiser A. (2003): Mosquitoes and their control. Kluwer Academic Plenum Publisher, New York. pp. 1-26.

Bhandari, B. R., Bruce R. D. A. and Padukka I. (1999): Encapsulation of Lemon oil by Paste method using Cyclodextrin: Encapsulation Efficiency and Profile of oil volatiles. J. Agric. Food Chem. **47***:* 5194-5197.

Bhattacharyya A., Bhaumik A., Rani P.U., Mandal S. and Epidi T.T. (14 June, 2010): Nanoparticles- A recent approach to insect pest control. African Journal of Biotechnology. Vol. **9**(24): 3489-3493.

Bhattacharya A. (2009): Nanoparticles- From drug delivery to Insect control. Pest Control. Akshar. 1(1): 1-7.

Bisht S., Feldmann G., Soni S., Ravi R., Karikar C., Maitra A. and Maitra A. (2007): Polymeric nanoparticle-encapsulated curcumin (nanocurcumin): a novel

strategy for human cancer therapy. Journal of Nanobiotechnology. **5**(3): 1477-3155.

Chandrasekharan N. and Kamat P.V. (2000): Improving the photoelectrochemical performance of nanostructured TiO_2 films by adsorption of gold nanoparticles. J Phys Chem B. 104: 10851-10857.

Cheung P.Y.K.. and Hammock B.D. (1985): Micro-Lipid_Droplet Encapsulation of *Bacillus thuringiensis* subsp. *israelensis endotoxin* for control of mosquito larvae. Applied and Environmental Microbiology. Vol. **50**(4): 984-988.

Chopra R.N., Chopra I.C., Handa K.L. and Kapoor L.D. (1958): Indigenous drugs of India, 2nd Ed. ed. U. N. Dhur & Sons Pvt. Ltd. Calcutta.

Debnath N., Das S., Seth D., Chandra R., Bhattacharya S.C. and Goswami A. (2010): Entomotoxic effect of silica nanoparticles against Sitophilus oryzae (L). J Pest. Sci.

Dharmagadda VSS, Naik SN, Mittal PK, Vasudevan P. (2005): Larvicidal activity of *Tagetes patula* essential oil against three mosquito species. *Bioresource Technol.* 96: 1235- 40.

Ding W.K. and Shah N.P. (2009): Effect of various encapsulating materials on the stability of Probiotic Bacteria. J. Phys. Conf. Ser. **17**:45-49.

Doane W. M., Shasha B.S. and Russell C.R. (1977): Encapsulation of Pesticides within a Starch Matrix. Reprinted from ACS Symposium Series No. 53. Controlled Release Pesticides.

Dunkle R.L. and Shasha B.S. (1988): Starch-Encapsulated *Bacillus thuringiensis:* A Potential New Method for Increasing Environmental Stability of Entomopathogens. Environ. Entomo. **17**(1): 120-126.

Finney DJ. Probit analysis. 3rd ed. Cambridge: Cambridge University Press, 1971.

Fuyama H., Shinjo G. and Tsuji K. (1984): Microencapsulated Fenitrothion: Fomulation and Characteristics. J. Pesticide Sci. **9:** 511-516.

Geetha R., Gopal G.V. and Niranjan M.H. (2009): In vitro response of encapsulated shoot tips of *Spilanthes acmella*. Journal of Basic and Applied Biology. **3**(1&2): pp. 82-86.

Gha-Young., Joonmok S., Min-Su K. and Seung-Hyeon M. (2008): Preparation of a highly sensitive enzyme electrode using gold nanoparticles for measurement of pesticides at the ppt level. J. Environ. Monit. **10**: 632-637.

Glenn G.M., Klamczynski A.P., Woods D.F., Chiou B., Orts W.J. and Imam S.H. (2010): Encapsulation of Plant Oils in Porous Starch Microspheres. J. Agric. Food Chem. **58**: 4180–4184.

Gluber D. (1989): *Aedes aegypti* and *Aedes aegypti* – borne disease control in the 1990's: top down or bottom up. *Am J Trop Med Hyg.* 40: 571- 8.

Gold L.S., Slone T.H., Ames B.N. and Manley N.B. (2001): Pesticides residue in food and cancer risk: a critical analysis. In: Krieger, R. (ed.), Handbook of pesticide Toxicology, 2nd ed. Academic Press, San Diego, C.A. pp. 799-823.

Govindarajan M., Jebanesan A. and Reetha D. (2005): Larvicidal effect of extracellular secondary metabolites of different fungi against the mosquito, *Culex quinquefasciatus* Say. Tropical biomedicine. 22(1): 1-3.

Guan H., Chi D., Yu J. and Li X. (2008): A novel photodegradable insecticide: Preparation, characterization and properties evaluation of nano-imidacloprid. Pesticide, Biochemistry and physiology. **92**: 83-91.

Hadapad A.B., Hire R.S., Vijayalakshmi N. and Dongre T.K. 2011: Sustained-release biopolymer based formulations for *Bacillus sphaericus* Neide ISPC-8. J. Pest. Sci.

Hsieh W.C., Chang C.P. and Gao Y.L. (2006): Controlled release properties of chitosan encapsulated volatile Citronella Oil microcapsules by thermal treatments. Colloids and Surfaces B: Biointerfaces. **53**: 209–214.

Jeschke W.D., Rath N., Baumel P., Czygan F.C. and Proksch P. (1994): Modelling the flow and partitioning of carbon and nitrogen in the holoparasite *Cuscuta reflexa* Roxb. and in its host *Lupinus albus* L. I. Methods for estimating net flows. J Exp Bot. **45**: 791-800.

John, David T. and William A. 2006: Perti Jr. "Wucheria bancrofti". Medicinal parasitology. 9th ed. St. Louis, Misouri: Saunders Elsevier, pg 274.

Kalayanasundaram M. and Das P.K. (1985): Larvicidal and synergistic activity of plant extracts for mosquito control. *Indian J Med Res*. **82**: 19-21.

Klich M.A. and Pitt J.I. (1994): A laboratory guide to common Aspergillus species and their teleomorphs. 2nd reprint, CSIRO, Australia.

Krishnamoorthy K., Harichandrakumar K.T., Kumari A.K. and Das L.K. (2009): Burden of Chikungunya in India: Estimates of disability adjusted life years (DALY) lost in 2006 epidemic. J Vector Borne Dis. **46**: pp. 26-35.

Krolikowska A., Kudelski A., Michota A. and Bukowska J. (2003): SERS studies on the structure of thioglycolic acid monolayers on silver and gold. Surf Sci. 532: 227-232.

Kumar A., Mandal S., Selvakannan P.R., Parischa R., Mandale A.B. and Sastry M. (2003): Investigation into the interaction between surface-bound alkylamines and gold nanoparticles. Langmuir. **19**: 6277-6282.

Kumbar S.G., Kulkarni A.R., Dave A.M. and Aminabhavi T.M. (2001): Encapsulation efficiency and release kinetics of solid and liquid pesticides through urea formaldehyde crosslinked starch, guar gum and starch + Guar Gum matrices. Journal of applied Polymer science. Vol. **82**: 2863– 2866.

Kuzma J., Romanchek J.and Kokotovich A. (2008): Upstream oversight assessment for agrifood nanotechnology: a case studies approach. Risk Anal. **28**: 1081-1098.

Levy R., Nichols M.A. and Miller T.W., JR (1993): Pesticide delivery from Culigel superabsorbent polymers: Mosquito and cockroach control studies. Proceedings of First international conference on Urban pests.

Liu N., Xu Q., Zhu F.and Zhang L. (2006): Pyrethroid resistance in mosquitoes. Insect Sci. **13**: 159-166.

Martin A., Varona S., Navarrete A. and Cocero M.J. (2010): Encapsulation and Co-Precipatation processes with Supercritical Fluids: Applications with Essential oil. The open Chemical engineering Journal. **4**: 31-41.

Maurya P. (2009): Studies on combinatotial activities of certain mycotoxins and phytoextracts against mosquito larvae. Ph.D. thesis, Department of Zoology, Dayalbagh Educational Institute, Agra.

Mohan L., Sharma P. and Srivastava CN (2007): Comparative efficacy of *Solanum xanthocarpum* extracts alone and in combination with a synthetic pyrethroid, cypermethrin, against malaria vector, *Anopheles stephensi.* Southeast Asian J. Trop Med Public Health. Vol. **38**(2): 256-260.

MohanL., Sharma P., Maurya P. and Srivastava CN (2008): Bioefficacy of chlorpyriphos and temephos against anopheline and culicine larvae. J. Ent. Res. 32(2): 147- 150.

Mohan L., Sharma P. and Srivastava CN (2005): Evaluation of *Solanum xanthcarpum* extracts as mosquito larvicides. Journal of Enviromental Biology. 26(2): 399-401.

Mourtzinos I., Salta F., Yannakopoulou K.., Chiou A. and Karathanos V.T. (2007): Encapsulation of Olive leaf extract in b-cyclodextrin. Journal of Agricultural and Food Chemistry. **55**:8088-8094.

Nayak A.P., Tiyaboonchai W., Patankar S., Madhusudhan B. and Souto E.B. (2010): Curcuminoids-loaded lipid nanoparticles: Novel approach towards malaria treatment. Colloids and Surfaces B: Biointerfaces. **81**: 263–273.

Nowack B. (2009): Is anything out there? What life cycle perspectives of nano-products can tell us about nanoparticles in the environment. Nano Today. **4**: 11-12.

Owolade O.F.., Maye D.O., Lelie D.V. and Gang O. (2008): Titanium Dioxide affects disease development and yield of edible cowpea. EJEAF Chem. **7**(50): 2942-2947.

Papadimitiou S., Papageorgiou G.Z., Kanaze F.I., Georgarakis M. and Bikiaris D.N. (2009): Nanoencapsulation of Nimodipine in Novel Biocompatible Poly(propylene-co-butylene succinate) Aliphatic Copolyesters for Sustained Release. J. of Nanomaterials. Vol. 2009 : 11 pages.

Park J.Y., Baek M.J., Choi E.S., Woo S., Kim T.J., Jung J.C., Chae K.S., Chang Y., Lee G.H. (2009). Paramagnetic ultra small gadolinium oxide nanoparticles as advanced T1 MRI contrast agent: account for large longitudinal relaxivity, optimal particle diameter and in vivo T1 MR images. ACS Nano. 3(11): 3663-3669.

Passos C.T., Michelon M., Burkert J.F.M., Kalil S.J. and Burkert C.A.V. (2010): Biodegradation of Phenol by free and encapsulated cells of a new Aspergillus sp. Isolated from a contaminated site in southern Brazil. African Journol of Biotechnology. Vol. **9**(40): 6716-6720.

Patel K.J., Reuda L.M. and Axtell R.C. (1990): Comparisions of different types and concentrations of alginates for encapsulation of *Lagenidium giganteum* (Oomycetes: Lagenidials), A fungal pathogen of mosquito larvae. Journal of the American Mosquito Control Association. Vol. **6**: 1.

Paula H.C.B., Sombra F.M., Abreu F.O.M.S. and Paula R.C.M. (2010): *Lippia sidoides* Essential Oil Encapsulation by Angico Gum/Chitosan Nanoparticles. *J. Braz. Chem. Soc.* Vol. 00, No. 00: 1-8.

Paula H.C.B., Rodrigues M.L.L., Ribeiro W.L.C., Stadler A.S., Abreu F.O.M.S. and Paula R.C.M. (2009): Preparation and characterization of cashew gum nanoparticles loaded with larvicide from *Moringa oleifera* seeds. 11th international conference on Advance Materials, Rio de Janeiro Brazil.

Peng J., Li J., Li Q. (2008): Preparation and application of water-soluble fragrance-loaded nano-dispersion capsules. Flavour Fragrance Cosmet, (China). **3**: 22-25.

Peto G., Molnar G.L., Paszti Z., Geszti O., Beck A. and Guczi L. (2002): Electronic structure of gold nanoparticles deposited on SiOx/Si. Mater Sci Eng C. **19**: 95-99.

Petrovic G.M., Stojanovi G.S. and Radulovi N.S. (2010): Encapsulation of Cinnamon-oil in Cyclodextrin. Journal of Medicinal Plants Research. Vol. **4**(14): 1382-1390.

Prabakaran G, Hoti SL (2008): Immobilization of alginate-encapsulted *Bacillus thuringiensis* var. *israelensis* containing different multivalent counterions for mosquito control. Curr. Microbiol. 57:111-114.

Reuda L.M., Patel K.J. and Axtell R.C. (1991): Comparision of floating and sinking encapsulated formulations of the fungus *Lagenidium Giganteum* (Oomycetes: lagenidiales) for the control of Anopheles larvae. J. of the American Mosquito Control Association.Vol. **7** (2).

Sarup P, Dhingra S, Agarwal K.N. (1980): Newer dimensions for evaluating the synergistic effect of non- toxic chemicals in the mixed formulations against the adults of *Cylas formicarius* Fabricius. *J Entomol Res.* **4**: 1-14.

Schwartz L., Wolf D., Markus A., Wybraniec S. and Wiesman Z. (2003): Controlled-Release Systems for the Insect Growth Regulator Pyriproxyfen. J. Agric. Food Chem. **51**: 5985-5989.

Scrinis G. and Lyons K. (2007): The emerging nano-corporate paradigm: Nanotechnology and the transformation of nature, food and Agrifood systems. International Journal Sociology of Food Agric. **15**(2): 1- 23.

Shah P.A., Aebi M. and Tuor U. (1998): Method to immobilize the Aphid-pathogenic fungus *Erynia neoaphidis* in an Alginate Matrix for Biocontrol. Applied and Environmental Microbiology. Vol. 64(11): 4260-4263.

Shahidi F. and Han X.Q. (1993): Encapsulation of food ingredients. Critical reviews in food Science and Nutrition. **33**: 501-547.

Sharma S.K., Dua V.K., Sharma V.P. (1995): Field studies on the repellent action of neem oil. *Southeast Asian Journal of Tropical Medicine and Public Health* **26**: 180–182.

Song S., Liu X., Jiang J., Qian Y., Zhang N. and Wu Q. (2009): Stability of triazophos in self-nanoemulsifying pesticide delivery system. Colloids and surfaces A: Physicochemical and Engineering Aspects. **350**: 57-62.

Soraf Dr. N.M., Alat D.V. and Chakarbarti R. (2007): Microencapsulation at an affordable Price. Sarex Overseas, India.

Srivastava C.N. and Sharma P. (2000): Bioefficacy of certain phytoextracts against anopheline larvae. Ad. Bios. 19(1): 93-98.

Sukul N.C., Singh R.K. Sukul (Chunari) S., Sen P., Bhattacharya A., Sukul A. and Chakrabarty R. (2009): Potential drugs enhance growth of Pigeon pea. Environ. Ecol. **26**(3): 1115-1118.

Vandekerkhove B. and Clercq P.D. (2004): Effects of an encapsulated formulation of Lambda-Cyhalothrin on *Nezara viridula* and its predator *Podisus maculiventris* (Heteroptera: Pentatomidae). Florida Entomologist. **87** (2).

Verma M.M., Dua K.K. and Srivastava C.N. (2010): Relative larvicidal potentiality of some synthetic insecticides against *Anopheles stephensi* (Liston). J. of entomological research. Vol. 34(2).

Vidhyalakshmi R., Bhakyaraj and Subhasree R.S. (2009): Encapsulation" The Future of probiotics" – A Review. Advances in Biological Research. 3(3-4):96-103.

Wink M. (1993): Production and application of phytochemicals from an agricultural perspective. In: Van Beek TA, Breteler H, editors. Phytochemistry and agriculture. Oxford, UK: Clerendon Press. p 171-213.

World Health Organisation (2005): Guidelines for Laboratory and Field Testing of Mosquito Larvicides. WHO/CDS/WHOPES/GCDPP/2005.13.

World Health Organization 2007: Outbreak and spread of chikungunya. Wkly Epidemiol Rec. 47:409–15.

World Health Organisation (2009): The world's population is at risk of malaria, and its estimates. WHO, 2009.

World Health Organisation (2009): Trends of Dengue cases and deaths as reported by countries in the SEA Region. Country reports. 2009.

WHO, World Malaria Report (2008): http://www.who.int/malaria/wmr2008/malaria2008.pdf, accessed on 15th April 2009.

World Health Organization (WHO). Impact of dengue. Geneva: WHO. [Accessed 27 Sep 2010]. Available from: http://www.who.int/csr/disease/dengue/impact/en/index.html

Xing F., Cheng G., Yi K. and Ma L. (2005): Nanoencapsulation of Capsaicin by Complex Coacervation of Gelatin, Acacia and Tannins.

Yang F.L., Li X.G., Zhu F. and Lei C.L. (2009): Structural characterization of nanoparticles loaded with Garlic essential Oil and their insecticidal activity against *Tribolium castaneum* (Herbst). J. Agric. Food Chem. **57**: 10156–10162

Ying J.Y. (2009): Nanobiomaterials. Nano Today. **4**: 1-2.

Yinyan Z., Shuping A.X.L. and Shuqin Y. (2009): Nanoencapsulation of b-cypermethrin by complex coacervation in a microemulsion. J Surfact Deteg. **12**: 305-311.